

DESCRIPTION	QTY	EACH
FSA25-VEF19.0 Fire & Rescue Vehicles, Boats, and Equipment	1	\$ 320,170.00
/-- Ambulance Built to Star Of Life KKK-A-1882-F Certification,	1	
Type I Traumahawk Medium Duty Modular Ambulance	1	
S 2026 Freightliner M2 106MD, 2-dr Reg Cab - Dealer Supplied	1	\$ 500.00
/-- Urea Tank: 6 US Gallon, Single Under Cab Driver's Side	1	\$ -
/-- GVWR: 20,000 pounds	1	\$ -
/-- Rear Suspension: 12,000# Air-liner w/PING tanks, Kneeling	1	\$ -
/-- Rear Axle: Meritor RS-15-120 Single Speed - 15,000# 6.7L	1	\$ -
/-- DUMP ENABLE SWITCH: Located in center CAB console	1	\$ -
/-- DUMP ACTIVATION OTHER: Deactivate with O2 Door Open	1	\$ 182.00
/-- M2 Reg Cab EXTERIOR ITEMS - 6.7L	1	\$ -
/-- Tires, Front: Random Make 245/70R 19.5 16 Ply (Road tread)	1	\$ -
/-- Tires, Rear: Random Make 245/70R 19.5 16 Ply (Road tread)	1	\$ -
/-- Center & Lug Covers Rear M2 Nav 607 w OEM Alum Wheels	1	\$ -
/-- Centers & Lug Covers OEM Alum Front 4-spline 8 25" MV607	1	\$ -
/-- CAB Air Conditioning: OEM w/ Heat, defrost	1	\$ -
/-- Cab Interior Color: Opal Gray	1	\$ -
/-- Cab Door Locks: Power	1	\$ -
/-- OEM Freightliner key fobs NOT included	1	\$ -
/-- Tire Pressure Monitoring Caps all 6 Wheels	1	\$ 238.00
S Body, Mod: Med Duty, 172" x 96" x 72" Interior HR - 6" Body Drop M2	1	\$ 3,738.00
/-- Headroom: 74/72" Finished Interior - Ducted A/C	1	\$ -
/-- Compartment and Entry door Full length Stainless Steel	1	\$ -
S /-- Perko Air Vent: Exterior, Used for Body Venting	1	\$ 202.00
/-- Compartment Construction: STANDARD, Unless Specified	1	\$ -
/-- Compt Floors: Sweep-out, even with bottom door jamb	1	\$ -
/-- Compartment floor thickness .125" standard	1	\$ -
/-- Compartment Ventilation - Flap style #VT-2495-A01, STD	1	\$ -
S /-- Talk through, Cab to Mod Window (T1) Medium Duty With	1	\$ -
/-- Cab Roof Support : 3/16" x 3" Steel Plate, Per Engineering	1	\$ -
/-- Body Drop: 6" Both Sides, Ahead of Rear Wheels	1	\$ 410.00
S /-- Curb side Entry Door (CSE): 84.812 High x 31 Wide -Medium	1	\$ -
S /-- Step Well, CURBSIDE Entry Door, 2-Step Diamond Plate	1	\$ 300.00
S /-- ILOS Lt, Step Well: 3" Kin#4302S LED stainless steel	1	\$ 145.00
/-- Light, Step Well #2 : NONE	1	\$ -
S /-- Compt Door Check:SPRING type DOOR-CHECK1211 (12 Lb)	1	\$ -
/-- Door Swing Angle: Set to 90-100 degrees	1	\$ -
S /-- Side Entry Door Check: SPRING DOOR-CHECK3012 (30# Spg)	1	\$ -
/-- Door Swing Angle: Set to 90-100 degrees	1	\$ -
S /-- M-1 Compt (LF): 72 HR, 77" H x 16" W x 21" D	1	\$ 525.00
/-- Compartment Construction: STANDARD Diamond Plate	1	\$ -
/-- Compartment Door Panel: Diamond Plate	1	\$ -
/-- Compartment Finish: Diamond Plate Standard	1	\$ -
/-- Compt Floor: Sweep-out, even with bottom door jamb.	1	\$ -
/-- Compartment floor thickness .125" standard	1	\$ -
/-- Compartment Door: SINGLE DOOR, Forward hinged 2-point	1	\$ -
S /-- (1) Door Hold Opens: Grabber Style, each door 4 1/2" tall	1	\$ -
S /-- M1 Dividers, (2) Vertical, Full compartment height, alum, Fixed	1	\$ 405.00
S /-- Strap: 2" Webb Seatbelt buckle chrome footman loops	1	\$ -
/-- 2" Footman Loops: Locate back from jamb	1	\$ -
S /-- Light, Compartment: Maxxima LED 18", EA, ILOS	1	\$ 45.00
S /-- M-2 Compt (LFM): 42.7" H x 47.75" W x 21" D	1	\$ -
S /-- Compartment Construction: STANDARD Diamond Plate	1	\$ -
/-- Compartment Door Panel: Diamond Plate	1	\$ -
/-- Compartment Finish: Diamond Plate Standard	1	\$ -
/-- Compartment floor thickness .125" standard	1	\$ -
/-- Compt Floor: Sweep-out, even with bottom door jamb.	1	\$ -
/-- Compartment floor thickness .125" standard	1	\$ -

S	/-- Doors, Compartment, DOUBLE DOORS (std)	1	\$	-
S	/-- Compt Door Check: Spring Check	1	\$	-
S	/-- Door Swing Angle: Set to 90 degrees	1	\$	-
S	/-- M-2 Shelf, Adjustable, Ext: .125 Alum, 1.5" Upward lip	1	\$	-
/-- Shelf Bracket: 90 Deg with Slotted Holes		1	\$	-
S	/-- Light, Compartment: Maxxima LED 18", EA, ILOS	1	\$ 45.00	
S	/-- Light, Compartment: Maxxima LED 18", EA, IATS	1	\$ 265.00	
S	/-- Condenser, 12V:#25067, Dual Fan, Low Profile roof mount	1	\$ 2,850.00	
/-- Roof top limb guard for Condenser Painted to match roof		1	\$ 385.00	
/-- Roof Condenser Height Impact up to 7.5"		1	\$	-
/-- Standard Conduit: 1-1/2", with pull wire		1	\$	-
/-- CONDUIT ORIGIN POINT: M-2 compartment		1	\$	-
/-- CONDUIT TERMINATION POINT: Behind A/A Board (Panel)		1	\$	-
S	/-- M-2.5 Compt (LWW): 16.5" H x 41.75" W x 21" D	1	\$ 2,310.00	
/-- Compartment Construction: STANDARD Diamond Plate		1	\$	-
/-- Compartment Door Panel: Diamond Plate		1	\$	-
/-- Compartment Finish: Diamond Plate Standard		1	\$	-
/-- Compt Floor: Sweep-out, even with bottom door jamb.		1	\$	-
/-- Compartment floor thickness .125" standard		1	\$	-
S	/-- Compartment Doors: DOUBLE DOORS, ILOS single	1	\$ 395.00	
S	/-- Compt Door Check: Spring Check	1	\$	-
S	/-- Door Swing Angle: Set to 90-degrees	1	\$	-
S	/-- Light, Compartment: Maxxima LED 18", EA, ILOS	1	\$ 45.00	
S	/-- M-3 Compt (LR): 71" H x 41.75" W x 21" D	1	\$ 2,670.00	
/-- Compartment Construction: STANDARD Diamond Plate		1	\$	-
/-- Compartment Door Panel: Diamond Plate		1	\$	-
/-- Compartment Finish: Diamond Plate Standard		1	\$	-
/-- Compt Floor: Sweep-out, even with bottom door jamb.		1	\$	-
/-- Compartment floor thickness .125" standard		1	\$	-
S	/-- Compartment Doors: DOUBLE DOORS, ILOS single	1	\$ 395.00	
S	/-- Compt Door Check: Spring Check	1	\$	-
S	/-- Door Swing Angle: Set to 90 degrees	1	\$	-
S	/-- Shelf, Adjustable, Ext: .125 Aluminum, 2" Upward Lips	1	\$ 225.00	
/-- Shelf Bracket: 90 Deg with Slotted Holes		1	\$	-
S	/-- Light, Compartment: Maxxima LED 18", EA, ILOS	1	\$ 45.00	
S	/-- Light, Compartment: Maxxima LED 18", EA, IATS	1	\$ 275.00	
S	/-- M-4 Rear Curbside Bench Compt: 16" H x 14.1" W x I/O Access	1	\$ 3,125.00	
S	/-- Compt Floor Sill: Stainless Steel From O2 Rack to Door	1	\$	-
/-- Compartment Door: SINGLE DOOR, 1-point Latch		1	\$	-
S	/-- Light, Compartment: Maxxima LED 18", EA, ILOS	1	\$ 45.00	
S	/-- M-5 Compt (RR): 18.75" H x 43" W x 21.0"D	1	\$	-
/-- Compartment Construction: STANDARD Diamond Plate		1	\$	-
/-- Compartment Door Panel: Diamond Plate		1	\$	-
/-- Compartment Finish: Diamond Plate Standard		1	\$	-
/-- Compt Floor: Sweep-out, even with bottom door jamb.		1	\$	-
/-- Compartment floor thickness .125" standard		1	\$	-
S	/-- Compartment Doors: DOUBLE DOORS, ILOS single	1	\$ 395.00	
S	/-- Compt Door Check: Spring Check	1	\$	-
S	/-- Door Swing Angle: Set to 90-degrees	1	\$	-
S	/-- Light, Compartment: Maxxima LED 18", EA, ILOS	1	\$ 45.00	
/-- M-6 Compt (RRFwd): Delete		1	\$	-
S	/-- M-7 Compt (RF): 56.25" H x 29.5" W x 33" Above Floor & 23" D	1	\$ 1,750.00	
/-- Compartment Construction: STANDARD Diamond Plate		1	\$	-
/-- Compartment Door Panel: Diamond Plate		1	\$	-
/-- Compartment Finish: Diamond Plate Standard		1	\$	-
/-- Compt Floor: Sweep-out, even with bottom door jamb.		1	\$	-
/-- Compartment floor thickness .125" standard		1	\$	-
/-- Compartment Door: SINGLE DOOR, Forward hinged 2-point		1	\$	-
S	/-- Compt Door Check: Spring Check	1	\$	-
S	/-- Door Swing Angle: Set to 90 degrees	1	\$	-
S	/-- Shelves, (2) Adjustable, Ext: .125 Aluminum, 2" Upward Lips	1	\$ 450.00	
/-- Shelf Bracket: 90 Deg with Slotted Holes		1	\$	-

S	/-- Light, Compartment: Maxxima LED 36", EA, ILOS	1	\$ 125.00
S	/-- M-8 Drawer (RF): Batt, 13.5" H x 29.5" W x 21" D	1	\$ 3,025.00
	/-- Compartment Construction: STANDARD Diamond Plate	1	\$ -
	/-- Compartment Door Panel: Smooth Aluminum	1	\$ -
	/-- Compartment Finish: Diamond Plate Standard	1	\$ -
	/-- Drawer Front: 2-point latch	1	\$ -
	/-- Rear Access Doors: 46 3/4" Wide x 60 5/8" High	1	\$ -
	BODY PROTECTION AND TRIM PACKAGE: M2	1	\$ -
	/-- Wire/Hose Cover : Diamond Plate, Between Cab & Module	1	\$ -
S	/-- Pass-Thru Custom Bellow Spacer - Smooth Aluminum	1	\$ 185.00
	/-- Painted Part- Painted Special color to match Body	1	\$ 225.00
S	/-- Right Side Under cab Cover: Diamond Plate, Pass Side W/ 2	1	\$ -
S	/-- Left Side Driver's Fuel Tank/Def tank Cover W/ 2 steps Reg Cab	1	\$ -
XS	/-- UREA Cover: Diamond Plate	1	\$ -
S	/-- Bumper, Rear:Medium Duty Hd Framed w/DP pontoon covers	1	\$ -
	/-- Step, Center:2" x 7" Bar Grate, flip-up, recessed T1 ILOS	1	\$ 355.00
S	/-- Flip-step Bumper : Rubber Skirt Rail on Kick Plate	1	\$ 105.00
	/-- Dock Bumpers: Rubber 2 1/4" H x 16" W x 2" Thick	1	\$ 105.00
	/-- Wheel Size: 19.5" (Must match what is on chassis)	1	\$ -
S	/-- Fenders, Rear: Rubber Extruded, Black	1	\$ -
S	/-- Skirt Rails: Extruded Rubber	1	\$ 235.00
S	/-- Corner Caps: 24.0" High, Alum Diamond Plate	1	\$ -
S	/-- Front Stone Guards: 24.0" High, Alum Diamond Plate	1	\$ -
S	/-- Rear Kick Plate: Polished Aluminum Diamond Plate	1	\$ -
	/-- Rear Recovery Eyes: (2) Cast Iron 1 3/16" center eye Paint	1	\$ 485.00
	/-- Eye Access Holes: (2) 5 inch Dia , Align w/ eyes	1	\$ -
	/-- Recessed Tag Area: Polished Aluminum Diamond Plate	1	\$ -
	/-- Location: Centered in the kick plate	1	\$ -
	/-- Tag Light: Kinequip LED #132703C	1	\$ -
S	(2) Rear Door Hold Opens: Grabber Style, 1 on each door	1	\$ -
	Mud Flaps Front: NONE	1	\$ -
	Mud Flaps Rear: Modular, Rubber, Medium Duty units AEV LOGO	1	\$ -
	Front Turn, Whelen M6 Series w/arrow, LED, Pair, IATS	1	\$ 450.00
	/-- Location: Front of Module, Below Light Bar	1	\$ -
	/-- M6 Series Flange, Chrome Plated, Std: Each	1	\$ -
	CORNER CAP LED ICC/WARNING LIGHTS	1	\$ -
	/-- Front Corner Cap LED ICC/Warning Lights: Warnings RED/WHITE	1	\$ -
	/-- Front Center ICC Lts: (3) AMBER Kinequip LED No 112401A,	1	\$ -
	/-- Front ICC Lt Guards: NONE	1	\$ -
	/-- Rear Corner Cap LED ICC/Warning Lights: Warnings RED/AMBER	1	\$ -
	/-- Rear Center ICC Lts: (3) RED Kinequip LED No 112401R	1	\$ -
	/-- Rear ICC Lt Guards: NONE	1	\$ -
	/-- ICC Warning Lights Switched: Primary Only	1	\$ -
	LED Patient on Board, Exterior, NONE	1	\$ -
	LED Lights, Door Panel Warning, Interior	1	\$ -
S	/-- Amber LED POB Light, Each	1	\$ 300.00
	/-- Red/White LED Light, Each, NONE	1	\$ -
	/-- White LED Light, Each, NONE	1	\$ -
	/-- Red LED Light, Each, NONE	1	\$ -
	/-- Blue LED Light, Each, NONE	1	\$ -
	/-- Lights Switched with Entry Door Switch	1	\$ -
	Underbody Ground Lights : NONE	1	\$ -
	Tail Lights, Whelen LED Combinations , ILOS, Non FORD chassis	1	\$ -
	/-- Side Marker Lights: (2) RED Peterson #V423KR, In Bumper	1	\$ 600.00
S	/-- Additional Tail Lights: Whelen M6 Installed at Rear Window	1	\$ -
	/-- Whelen M6 Series, Tail Lights	1	\$ -
	/-- Stop/Tail, Whelen M6 Series, LED, Pair RED LED/ RED LENS	1	\$ 100.00
	/-- Turn, Whelen M6 Series, LED, Pair Amber LED, Amber LENS	1	\$ 100.00
	/-- M6 Series Flange, Chrome Plated, Std: Two Pair	1	\$ -
S	/-- Whelen M6 Series, Tail Lights	1	\$ -
S	/-- Stop/Tail, Whelen M6 Series, LED, Pair RED LED/ RED LENS	1	\$ 100.00
S	/-- Turn, Whelen M6 Series, LED, Pair Amber LED, Amber LENS	1	\$ 100.00

S	-- Back up, Whelen M6 Series, LED, Pair	1	\$ 200.00
	-- M6 Series Flange, Chrome Plated, Std: Three Pair	1	\$ -
	Third (3rd) Brake Light: Kinequip KFL-3BLO1 LED	1	\$ -
	-- Light is to steady burn, no flash	1	\$ -
	SCENE/FLOOD LIGHTS (LED-M9 Series)	1	\$ -
	-- Left Scene Lights: (2) LED-M9ZC Chrome Flange Whelen	1	\$ 900.00
	-- Flanges: Above M9 Scene lights, Incorporated into lights	1	\$ -
	-- Left Flood Activate: Left Flood Switch	1	\$ -
	-- Right Scene Lights: (2) LED-M9ZC, Chrome flange Whelen	1	\$ 900.00
	-- Flanges: Above M9 Scene lights, Incorporated into lights	1	\$ -
	-- Right Flood Activate: Right Flood Switch and open CSE Door	1	\$ -
	-- Rear Load Lights: Built into Rear Light Bar	1	\$ -
	-- Activate: Rear Flood Switch, Reverse and Lead RA Door	1	\$ -
	-- Add Activation: Rearward Left and Right scene lights. come on	1	\$ 75.00
S	-- Patient Ventilation System: Static Intake, 4 inch Power Exhaust	1	\$ -
S	Secondary Heat/AC: Danhard 125VAC System, 50-3001Cool ONLY	1	\$ 6,460.00
S	-- Digital RTH 221B Thermostat, battery powered	1	\$ 125.00
	-- Danhard Compressor/ Condensor Mounted Underbody Forward	1	\$ -
S	-- Danhard Front Grille Cover- Std Size Aluminum with Black	1	\$ -
	-- Danhard Additional Underbody Drain Pan - Charlotte County	1	\$ 225.00
S	HVAC SYS: HotWeathPkg, Ducted Ceiling - Vertical, Type 9, M2, KW	1	\$ -
	-- AC COMPRESSOR: Secondary OEM engine compressor	1	\$ -
S	-- Thermostatic Switch Pre-set with 24 inch temp probe OFF 34F	1	\$ 150.00
	-- AC Evaporator: VALEO/ACC (AC/Heat unit) w/ dual fans - STD	1	\$ -
	-- Condensation Drain Pan: Internal ABS	1	\$ -
	-- Heater Hoses: EPDM - Nomex Rubber (per Ford QVM)	1	\$ -
	-- AC Hoses: Burgaflex Dual Clip, Hose and fitting system	1	\$ -
S	-- Side Plenum Grille, Return Air: Customer/Dealer Supplied	1	\$ -
	-- AC Register Panels: (Std)	1	\$ -
	-- Ducted AC Delivery: insulated & foil wrapped, 10 registers	1	\$ -
	-- Hella Relay Connector: Installed	1	\$ -
S	-- AC secondary compressor manifold M-2& others	1	\$ 175.00
	-- Heater hose elbow, 90 degree brass, pair	1	\$ 40.00
	-- Thermostat, Rear A/C, Digital, Class 1 LX-1, Includes Front Also	1	\$ -
	Espar Heater System: None	1	\$ -
	CEILING PANELS : ACM Gloss White - Medium Duty	1	\$ -
S	-- Dome Lts, LED: Whelen ,(4) Streetside, (4) Curbside #80COEHCR	1	\$ 745.00
S	-- Timer: Electronic, 15 Min with momentary switch	1	\$ 156.00
	-- Timer to Power: Street side DOMES, High intensity	1	\$ -
S	-- (2) Speakers: Stereo, patient compartment, in center pad	1	\$ 105.00
S	-- IV Hook No 1: CPI A2012 (Surface Mount), ILOS	1	\$ 108.00
S	-- LOCATION: Over Knee/Waist area, Between Dome Light #3 &	1	\$ -
S	-- IV Hook No 2: CPI A2012 (Surface Mount), ILOS	1	\$ 108.00
S	-- LOCATION: Over Knee/Waist area, Between Dome Lt. #3 & 4	1	\$ -
	-- Recessed C/S Grab Rail, ceiling: 1.25 Dia 3 pt, 72in, Yellow	1	\$ -
	-- Insulation: Circumferential PKG, Single Layer Reflective w/ Air cell	1	\$ -
	-- Blue Block foam ENTRY DOOR Insulated: 2" Thick IATS	1	\$ 350.00
	-- Insulation Sound Deadening: Generation 10 Floor	1	\$ -
	-- Blue Block foam WALLS/CEILING Insulated PKG: 1" Thick, IATS	1	\$ 1,775.00
	-- Stepwell Insulation: None	1	\$ -
	-- FR Lt Bar: Whelen4500 88" LED, Custom Charlotte Co	1	\$ 6,325.00
	-- Light Bar LOCATION: Box FRONT / Surface mount	1	\$ -
	-- RR Light Bar: Whelen 88"LED Custom ETR Charlotte County	1	\$ 6,825.00
	-- Light Bar LOCATION: Box REAR / Surface mount	1	\$ -
S	-- Rear lightbar flash pattern please define	1	\$ -
	-- Rear Load Lights: Switched REAR FLOOD	1	\$ -
	M SERIES LED WARNING LT SYSTEM - M2 LTD	1	\$ -
S	-- Flasher: None, All M Series LED's Are Programmable	1	\$ -
	-- Flash Pattern: None, Internal Light Head Flasher	1	\$ -
	-- Warning Light SWITCH: center console, Primary / Secondary	1	\$ -
	-- (2) Grille Lights: Whelen M7 Series, LED	1	\$ -
	-- Grill or Int. M7 Chrome Flange Each	1	\$ -

/-- Grille or Int M7 Red LED, Clear Lens-Prog. Each	1	\$ 395.00
/-- (2) Intersection Lights: Whelen M7 Series, LED	1	\$ -
/-- Grill or Int. M7 Chrome Flange Each	1	\$ -
/-- Grille or Int M7 Red LED, Clear Lens-Prog. Each	1	\$ 395.00
/-- DELETE (1) Center Front Warning Light	1	\$ -
/-- DELETE (2) Front Warning Lights	1	\$ -
/-- (4) Upper Side Body Lights: Whelen M9 Series, LED	1	\$ -
/-- M9 Series Flange, Chrome Plated, Std: Two Pair	1	\$ -
/-- Lights: Whelen M9, LED, RED LED/CLEAR Lens,	1	\$ 3,530.00
S /-- (2) Rear Intersection Lights: Whelen M6 Series, LED	1	\$ 107.00
/-- M6 Series Flange, Chrome Plated, Std: Each	1	\$ -
/-- LED M6 Red - Pair	1	\$ -
/-- Light: Whelen M6, LED, RED LED/CLEAR Lens, Flash, ILOS	1	\$ 503.00
/-- DELETE (2) Rear Warning Light	1	\$ -
S /-- (2) Additional Rear Body Lights: Whelen M6 Series, LED	1	\$ 107.00
/-- M6 Series Flange, Chrome Plated, Std: Each	1	\$ -
/-- LED M6 Red - Pair	1	\$ -
/-- Light: Whelen M6, LED, RED LED/CLEAR Lens, Flash, ILOS	1	\$ 503.00
/-- DELETE (1) Rear Center Warning Light	1	\$ -
S /-- Additional Warning Lts : (2) Whelen M2 Lights	1	\$ 505.00
/-- Flanges:(2) Chrome, M2 Lights	1	\$ -
/-- Light:s Whelen M2, LED, RED LED/CLEAR Lens PAIR -flash	1	\$ 570.00
S /-- Location: On REAR Body Outboard of Rear Doors	1	\$ -
/-- LED Program Switch : NONE	1	\$ -
S /-- Customer Supplied Part(s) : Yes See account	1	\$ 1,880.00
S /-- Retractable Power Cord, 659 (CORD-659) : Installed	1	\$ 1,952.00
/-- Custom design wood console included in Order	1	\$ -
S Install "Do Not Step" Labels Under Hood On Passenger and Driver	1	\$ 75.00
XS /-- Headlight Flasher Special switching	1	\$ 175.00
Hand Held Spot Light: Eagle Eye, Rubber Housing	1	\$ 275.00
S /-- Hard Wire Light Under Dash on Passenger Side	1	\$ -
/-- Cab Spot Light: None	1	\$ -
/-- AEV Traumahawk Telematics Declined, Not required	1	\$ -
S Batteries: 2 - Battery System - Medium duty std.	1	\$ -
S /-- Battery Make: (2) OEM per chassis type.	1	\$ -
/-- Batt Loc: (T9) All Batteries M-8	1	\$ -
XS Battery Switch: OEM Paddle Switch	1	\$ -
/-- Batteries Wired: Parallel for higher amperage	1	\$ -
Dash Light : NONE	1	\$ -
Cabinet Interior Lights: None	1	\$ -
POWER Door Locks: Module Doors - Freightliner M2 Mod	1	\$ -
/-- Door Locks, Tied into OEM System Freightliner M2	1	\$ 108.00
S /-- DrLkSw: SPDT Momentary, (1) On A/A Board	1	\$ 75.00
/-- Magnadyne Keyless entry Fob: Unlocks Chassis and Mod	1	\$ -
/-- Door Lock Switches : Integrated in Interior Entry door Handles	1	\$ -
/-- ONLY the following doors shall have power door locks:	1	\$ -
/-- Electric Door Lock: M1A Compt: (NONE)	1	\$ -
/-- Electric Door Lock: (M-1) Left Front Compartment	1	\$ 185.00
/-- Electric Door Lock: (M-2) Left Middle Compartment	1	\$ 185.00
/-- Electric Door Lock: (M-2.5) Left Wheel Well Compt.	1	\$ 185.00
/-- Electric Door Lock: (M-3) Left Rear Compartment	1	\$ 185.00
S /-- Electric Door Lock: (M-4) Rear O2 Compartment	1	\$ 185.00
/-- Electric Door Lock: Rear Access Doors	1	\$ 185.00
/-- Electric Door Lock: (M-5) Right Rear Compartment	1	\$ 185.00
/-- Electric Door Lock: Curbside Access Door	1	\$ 185.00
/-- Electric Door Lock: (M-7) Right Front Compt	1	\$ 185.00
S /-- Remote Keypad #1 (Vertical): Installed	1	\$ 417.30
S /-- Location: On Chassis on "A" Piller (See Drawing)	1	\$ -
S /-- Remote Keypad #2: Horizontal Installed	1	\$ 425.00
S /-- Location: Curbside Rear Above M4 Compartment	1	\$ -
S /-- Door Unlock Switch, Momentary, Exterior, hidden	1	\$ 150.00
S /-- Location: Under M1 Compartment in Sealed Box	1	\$ -

Air Pump, Kussmaul, Auto Pump: None	1	\$	-
S Back-up Alarm: OEM	1	\$	-
S  -- Cut Off Switch: Thru LX-1 System	1	\$	-
- Exception to 3.14.6 Cancel switch for back up alarm -	1	\$	-
XS Circuit Board, 12 V: Multiplex LX1 M2,	1	\$	-
- Back Up Camera: Adjustable ASA, Tied to LX-1 system White	1	\$	-
- Camera Color: White	1	\$	-
- Circuit Protection, 12 V: FET - Auto-reset	1	\$	-
- LX1 Main Panel Front Display 7 inch full color w buttons STD	1	\$	-
S  -- LX-1 panel mounted attached in Freightliner M2 upper	1	\$	225.00
- Patient Area LX1 Panel:	1	\$	-
- LX1 Switch Panel #1 2070-053-BP-CL1, Big Peats (Large	1	\$	3,250.00
- Switch Panel Located: Streetside A/A	1	\$	-
- Patient area switch panel mounted :flat to action wall std	1	\$	-
- 2nd Patient Area Switch Panel: NONE	1	\$	-
- 3rd Patient Area Switch Panel: NONE	1	\$	-
S  -- CONSOLE, Reg Cab: M2 Std. -25-lbs.	1	\$	-
S  -- Door/Comp Ajar Buzzer: Activate with Entry & Compt Door	1	\$	38.00
- Cab Console SWITCH PANEL: FL-M2 -25 Lbs	1	\$	-
- Volt Meter: Digital, Multiplex Systems	1	\$	-
- Engraved LOGO: None	1	\$	-
- Console Finish: Black, Textured "Easy Grip"	1	\$	-
S  -- Add-on Console: Custom	1	\$	295.00
S  -- Customer Radio: Space for Customer installed Radio Heads	1	\$	-
- Item location; Middle, Location 2nd Item Front to Rear	1	\$	-
- Glove Storage: None	1	\$	-
S  -- Add On Console Finish: Gray Mica ILOS	1	\$	135.00
Ground Straps, Module to Frame: (Qty 4) Braided	1	\$	-
XS Inverter : Vanner LIFESINE 1100 Pure Sine Wave, w 55watt 3 stage	1	\$	2,405.00
- Portable Equip Charging Circuits: Included in Inverter	1	\$	-
- PREWIRE LOCATION: (1)Cab Console, (1) Behind A/A	1	\$	-
- Portable Equip Pwr Source: Ignition and/or Shoreline	1	\$	-
- Battery Charger/Conditioner: 55A - Built into Inverter	1	\$	-
- Built-in Battery Charger: Enable - Wire to Batteries	1	\$	-
- Inverter Location: M-2 (LMF) Compartment	1	\$	-
S  -- On Ceiling ILOS	1	\$	-
S  -- Lexan Cover: Over Breaker Box Only	1	\$	67.00
Low Voltage Buzzer: Installed, Multiplex units	1	\$	-
S  -- Radio Power No 1: 40A, Pos and Neg, 8 awg Wires With Buss	1	\$	-
- Radio Power Source: Battery Switch Hot	1	\$	-
S  -- (1) DC Sub panel Buss Bar with cover 6 circuits Blue Sea 5025	1	\$	106.00
- LOCATION: Inside Cab Center Console	1	\$	-
S  -- Radio Power No 2: 40A, Pos and Neg, 8 awg Wires With Buss	1	\$	-
- Radio Power Source: Battery (Constant) Hot	1	\$	-
S  -- (1) DC Sub panel Buss Bar with cover 6 circuits Blue Sea 5025	1	\$	106.00
- LOCATION: Inside Cab Center Console	1	\$	-
S  -- Radio Power No 3: 40A, Pos and Neg, 8 awg Wires With Buss	1	\$	77.00
- Radio Power Source: Battery Switch Hot	1	\$	-
S  -- (1) DC Sub panel Buss Bar with cover 6 circuits Blue Sea 5025	1	\$	106.00
S  -- LOCATION: Behind Action Area Board on Wall #3	1	\$	-
S  -- Radio Power No 4: 40A, Pos and Neg, 8 awg Wires With Buss	1	\$	77.00
- Radio Power Source: Battery (Constant) Hot	1	\$	-
S  -- (1) DC Sub panel Buss Bar with cover 6 circuits Blue Sea 5025	1	\$	106.00
S  -- LOCATION: Behind Action Area Board on Wall #3	1	\$	-
S  -- Coaxial Cable, No 1: Type RG-58U, No connectors	1	\$	-
S  -- ORIGINATION POINT: Above Left Front Dome Light	1	\$	-
S  -- Port Plate: None - Access thru left front dome light	1	\$	-
S  -- TERMINATION POINT: Center Console w/ 48" Tail	1	\$	-
S  -- Coaxial Cable, No 2: Type RG-58U, No connectors	1	\$	43.00
S  -- ORIGINATION POINT: Above Right Front Dome Light	1	\$	-
S  -- Port Plate: None - Access thru right front dome light	1	\$	-
S  -- TERMINATION POINT: Behind Action Area Box w/ 48" Tail.	1	\$	-

S	/-- Coaxial Cable, No 3: Type RG-58U, No connectors	1	\$ 43.00
S	/-- ORIGINATION POINT: Above Second Dome Light on Left	1	\$ -
S	/-- Port Plate: None - Access thru second dome light on left	1	\$ -
S	/-- TERMINATION POINT: Center Console w/ 48" Tail	1	\$ -
S	/-- Coaxial Cable, No 4: Type RG-58U, No connectors	1	\$ 43.00
S	/-- ORIGINATION POINT: Above Third Dome Light on Left	1	\$ -
S	/-- Port Plate: None - Access thru third dome light on left	1	\$ -
S	/-- TERMINATION POINT: Behind Action Area Box w/ 48" Tail.	1	\$ -
S	/-- Coaxial Cable, No 5: Type RG-58U, No connectors	1	\$ 43.00
S	/-- ORIGINATION POINT: Above Third Dome Light on Right	1	\$ -
S	/-- Port Plate: None - Access thru third dome light on right	1	\$ -
S	/-- TERMINATION POINT: Behind Action Area Box w/ 48" Tail.	1	\$ -
S	/-- Coaxial Cable, No 6: Type RG-58U, No connectors	1	\$ 43.00
S	/-- ORIGINATION POINT: Above Rear Dome on Curbside	1	\$ -
S	/-- Port Plate: None - Access thru rear C/S dome light	1	\$ -
S	/-- TERMINATION POINT: Center Console w/ 48" Tail	1	\$ -
S	/-- Radio Brackets: Customer Supplied prior to production,	1	\$ 55.00
S	/-- Ethernet Cables: (2) Customer Supplied prior to production,	1	\$ 105.00
U	/-- Portable Charger Bracket: Customer Installed	1	\$ -
-- Patient Area Radio : None		1	\$ -
S	/-- Intercom, Newmar, w/ Black Handset, Cab to patient area	1	\$ 1,360.00
S	/-- Shore Line Inlet: 20A Super Auto Eject, ILOS	1	\$ 1,040.00
-- Inlet location: Aft of Left Front compartment		1	\$ -
-- Removable Shoreline Installed with twist lock 20 Amp plugs		1	\$ 555.00
S	/-- Indicator Light, Shore line: Weather proof, power by SL, Green	1	\$ 125.00
S	/-- Auto Eject Mounting Plate, Metal Painted	1	\$ 160.00
-- Painted Part- Painted Special color to match Body		1	\$ 105.00
-- Cover, Yellow, Shore Line Inlet : 20A Super Auto Eject, STD		1	\$ -
-- Inpower Timer: VCM-05-01SF, Installed		1	\$ 105.00
S	/-- Shore Line Inlet No.2: 20A Super Auto Eject, IATS	1	\$ 575.00
-- Inlet location: Aft of Left Front compartment		1	\$ -
-- Removable Shoreline Installed with twist lock 20 Amp plugs		1	\$ 145.00
-- Indicator Light, Shore line: Weather proof, power by SL, Green		1	\$ 125.00
-- Cover, Blue, Shore Line Inlet : 20 A Super Auto Eject, ILOS		1	\$ 50.00
-- 125 VAC Outlet, No 1: 15A, Hospital Grade, IVORY		1	\$ -
S	/-- LOCATION: Bottom of O1 Cabinet Facing Attendant Seat	1	\$ -
-- Outlet mounting ORIENTATION: Vertical		1	\$ -
S	/-- 125 VAC Outlet, No 2: 15A, Hospital Grade, IVORY	1	\$ -
S	/-- LOCATION: RF ALS, (See Drawing)	1	\$ -
-- Outlet mounting ORIENTATION: Vertical		1	\$ -
-- 125 VAC Outlet, No 3: 15A, Hospital Grade, IVORY		1	\$ 140.00
S	/-- LOCATION: Cab Console on 3/4" Wall in Box Out on	1	\$ -
-- Outlet mounting ORIENTATION: Vertical		1	\$ -
S	/-- 12 Volt outlets	1	\$ -
-- 12V Outlet, No 1: Power Point Single - Wire thru Med Isolator		1	\$ -
-- LOCATION: Action Area, standard location		1	\$ -
-- Outlet mounting ORIENTATION: Vertical		1	\$ -
-- Power Source: Medical Isolator , Battery (CONSTANT) Hot		1	\$ -
-- 12 V Outlets, Double Receptacle (SOCK-04C), IATS		1	\$ 90.00
-- Power Source: Medical Isolator , Battery (CONSTANT) Hot		1	\$ -
S	/-- LOCATION: RF ALS, Top Corner of Wall #2 Near Wall #1 Next	1	\$ -
S	/-- 12V Outlet, DUAL USB Fast 4.8A,. 2.4 A per slot Round IATS	1	\$ 130.00
S	/-- LOCATION: RF ALS, Top Corner of Wall #2 Near Wall #1 Next	1	\$ -
S	Siren: Federal PA-300-012MSC, ILOS, M2	1	\$ 340.00
S	/-- Siren Spkr: CPI, Bumper Recessed, SA5403, M2 ILOS	1	\$ 50.00
S	/-- Siren / Horn Switch:	1	\$ -
Air Horn System: OEM Supplied and Installed		1	\$ -
Horn Discharge ENABLE: Both Cab Doors Closed		1	\$ -
-- Custom design wood console included in Order		1	\$ -
ALL DIMENSIONS ON ORDER WILL HAVE A VARIABLE OF + OR - 1/4"		1	\$ -
S	Mica Colors: Gloss Gray D355-01 over Stainless Steel	1	\$ 830.00
-- Mica Stripe (Belt): Gloss Charcoal/Slate D91-01		1	\$ 735.00

S	/-- Stainless Steel - FACE of Squad Bench	1	\$	-
	/-- Stainless Steel - Lower Face of Wall Cabinet - Included	1	\$	-
	Polycarbonate Type/Color: Lexan - Gray Secure Latch	1	\$	-
	/-- Window Handles: Full Length Extruded	1	\$	-
	/-- Att Seat: EVS, Comfort 1780 Dove Gray, Vacuum Form,	1	\$	-
S	/-- BASE: Swivel base for EVS Seat Option 8 position ILOS	1	\$ 240.00	
S	AC CABINET: Evaporator, Custom Behind Att Seat Facing Rear of	1	\$ 120.00	
	CURBSIDE UPPER: Over S/B, Mods Wood cabinet, White Interior	1	\$ 1,325.00	
	/-- Cabinet K1 & K2: (2) Openings with flush center divider	1	\$ 130.00	
	/-- Door: Single Flip Up 3/8" Lexan	1	\$	-
	/-- Hinges: Reel Torque	1	\$	-
	/-- Round Pull Latch: Non-locking - Chrome Finish ILOS -10 lb	1	\$ 95.00	
	Glove Storage Cabinet, Over Entry Doors: None	1	\$	-
	CURBSIDE REAR: Rear of S/B, Mods, 3 glove	1	\$ 1,375.00	
S	/-- Cabinet M : (1) Opening	1	\$	-
	/-- Doors; Cabinet Secure Latch Sliding Window Additional -40	1	\$ 325.00	
	/-- Shelf Track: Small alum Unistrut type	1	\$	-
	/-- (1) Shelf: Shelf: Adjustable, Mica over substrate	1	\$	-
	/-- Cabinet L: 3-Glove dispenser cabinet	1	\$	-
S	/-- Door: Overlay , 3/8" Lexan W/Reel Torque Hinges ILOS -	1	\$	-
	/-- Round Pull Latch: Non-locking - Chrome Finish ILOS -10 lb	1	\$ 45.00	
S	LF Cabinet, Behind Att Seat: Cabinet "H"/(Elec Cab) Facing Rear of	1	\$	-
	/-- Plastic Vent: (2) Total, 1 column x 8 row, Vent 01	1	\$	-
	/-- Door, Single Solid Flush Fitted Electrical Area	1	\$	-
	/-- TRIM: U-shaped Door, J-trim opening	1	\$	-
	/-- Hinge: 1 1/2" Stainless Steel Piano Hinge	1	\$	-
	/-- Round Pull Latch: Non-locking - Chrome Finish ILOS -10 lb	1	\$ 45.00	
RF ALS Cabinet: 164 Medium Duty		1	\$	-
	/-- Check the specified Walk through Door type (Station 5)	1	\$	-
S	/-- Cabinet I-1: Custom	1	\$	-
S	/-- Door: Single Flip Up 3/8" Lexan With Reel Torque Hinges	1	\$	-
	/-- Hinges: Reel Torque	1	\$	-
	/-- Round Pull Latch: Non-locking - Chrome Finish ILOS -10 lb	1	\$ 45.00	
S	/-- Cabinet I-2: Custom From Floor to I-1 Cabinet	1	\$	-
S	/-- Door, Single Solid, Flush Fitted: W/ Lexan Insert	1	\$ 325.00	
S	/-- TRIM: U-shaped Door, J-trim opening,	1	\$	-
S	/-- Hinge Orientation: RIGHT	1	\$	-
S	/-- 12" Secure latch installed on left side of door	1	\$	-
	/-- Stowage rating label Secure Latch 12" Single Handle on	1	\$	-
S	/-- Hinge, ALS DOOR: Butt Style Hinges	1	\$	-
	/-- Outside Access: Thru M-7 (RF) Compartment door.	1	\$	-
S	/-- Interior: Diamond Plate	1	\$	-
	/-- Cabinet I-3: DELETE, Combine with I2 Cabinet	1	\$	-
S	Right Rear Cabinet: NONE	1	\$	-
S	SQUAD BENCH: Medium Duty	1	\$	-
S	/-- Bio-waste/Sharps No 1: Custom With Old Style Sliding Lexan	1	\$	-
	/-- Doors, Sliding Lexan, Mitered AL Assy: Standard	1	\$ 100.00	
	/-- Full Length Extruded additional handle to facing door of all	1	\$ 25.00	
	/-- Non-Compliant to 3.11.3 J3058, cabinets Not Tested, to SAE	1	\$	-
	/-- LOCATION: At head of Squad Bench	1	\$	-
S	/-- SHARPS & TRASH CONTAINER: Kendall # 8970 (2) Gallon	1	\$	-
S	/-- Storage Under Lid - Configure to Custom Bench With O2	1	\$	-
S	/-- Squad Bench Lids: Split - 2-section	1	\$	-
S	/-- Hinge, Squad Bench Lid(s): Piano Syle Hinges ILOS	1	\$	-
S	/-- Lid Checks: Gas shock, Dual Action	1	\$	-
	/-- Latch, Bench Lid: Slam Action , KITS-SBL - Surface mount 40	1	\$	-
	/-- Edge Trim, Lids: Band w/ Laminate and J-Trim Protection	1	\$	-
S	/-- O2 Viewing Window	1	\$	-
	/-- Restraint Net, Black, 7 point detachable, at head of S/B, Mod	1	\$	-
	Miscellaneous Squad Bench Options: Select from list	1	\$	-
S	TOP CABINETS, - Med Std	1	\$	-
S	/-- Cabinet A: Custom Above M3 Compartment	1	\$	-

S	/-- Doors; Cabinet A Secure Latch Restocking Sliding Window	1	\$ 325.00
/-- Cabinet Interior Lights: None		1	\$ -
S	/-- Cabinet B1: Top Middle	1	\$ -
/-- Shelf Track: Small alum Unistrut type		1	\$ -
/-- (1) Shelf: Adjustable with Alum Trim		1	\$ -
S	/-- Doors; Cabinet B1 Secure Latch Restocking Sliding Window	1	\$ 425.00
/-- Cabinet Interior Lights: None		1	\$ -
S	/-- Cabinet B2: Top Forward	1	\$ -
/-- Shelf Track: Small alum Unistrut type		1	\$ -
/-- (1) Shelf: Adjustable with Alum Trim		1	\$ -
S	/-- Doors; Cabinet B2 Secure Latch Restocking Sliding Window	1	\$ 425.00
/-- Cabinet Interior Lights: None		1	\$ -
S	WALL CABINET: No CPR Seat and No Telemetry Area	1	\$ -
S	/-- Action Area: Extended	1	\$ -
/-- 1/2" Solid Surface A/A Tray		1	\$ 2,225.00
/-- Gibraltar (Solid Surface) Material COLOR: Northern Melange		1	\$ -
S	/-- Action Area Board: Mica Covered (Color Keyed)	1	\$ -
/-- Cabinet C: DELETE		1	\$ -
S	/-- Cabinet D: Custom	1	\$ -
/-- Shelf Track: Small alum Unistrut type		1	\$ -
/-- (1) Shelf: Adjustable with Alum Trim		1	\$ -
/-- Doors; Cabinet D Secure Latch Sliding Window -40 pound		1	\$ -
/-- Cabinet E: DELETE		1	\$ -
S	/-- Cabinet F: DELETE	1	\$ -
S	/-- Cabinet O1: Custom W/ CD Player, 125 Outlet and Danhard	1	\$ -
S	/-- Door: Single Overlay Lexan Hinged Right With Piano Hinge	1	\$ -
/-- Round Pull Latch: Non-locking - Chrome Finish ILOS -10 lb rated		1	\$ 45.00
S	/-- Side Seat: NONE (DELETE)	1	\$ -
S	/-- Telemetry Area: NONE (DELETE)	1	\$ -
S	/-- P4 - 4-Point PER4MAX Restraint System - with replacement	1	\$ -
XS	/-- (2) on Squad Bench Above Bench, (0) CPR Side Seat Per4Max	1	\$ -
/-- S/B: (3) Sec patient restraints - 9" Sleeves Face of Bench		1	\$ -
/-- S/B: (3) Sec patient restraints - 5" Sleeves By Hinge		1	\$ -
/-- Mod Single Color VAC Form Tombstone Backrest with		1	\$ -
/-- Single Color Backrest and Headblock Dove Each		1	\$ -
/-- Per4Max Four-Point Seatbelts: Accept and Install Full		1	\$ -
S	Exhaust at Right Front I-1 Cabinet to be Static Air (No Fan Installed)	1	\$ -
Sub Floor, 3/4" Plywood, Standard		1	\$ -
Flooring: Lonplate II - #424 TX (Textured) Gun Powder		1	\$ 1,025.00
/-- Flooring Main Edge: 3" Recessed (1/2" deep) roll-up		1	\$ -
/-- Rear Threshold, Covered with Gray Speedliner 6" W x Full W at		1	\$ 135.00
/-- C/S Stepwell Threshold, Polished Diamond Plate		1	\$ -
COT MOUNT HARDWARE: (Full Size Mod)		1	\$ -
Stryker Floor Plate only, for , Power Load, Prep >>NON COMPLIANT		1	\$ -
/-- mass casualty kit not requested		1	\$ -
/-- Cable Extension for Stryker Powerload System		1	\$ 40.00
S	/-- 12v power feed location FRONT for Stryker power load 6390	1	\$ -
/-- Cot Position No 1: PRIMARY SIDE POSITION ONLY		1	\$ -
/-- Primary Cot position under floor reinforcement		1	\$ -
/-- Cot mount set up for: Stryker Power-Pro 6506		1	\$ -
/-- Q Strain System: NONE		1	\$ -
S	OXYGEN / AIR / VACUUM System:	1	\$ -
/-- O2 Outlet No 1: Amico Ohmeda Diamond		1	\$ -
/-- LOCATION: Action Area		1	\$ -
/-- O2 Outlet No 2: Amico Ohmeda Diamond		1	\$ -
/-- LOCATION: Center Pad of Liner Panel, Over Head/Chest		1	\$ -
/-- O2 Outlet No 3 Amico Ohmeda Diamond		1	\$ 245.00
/-- LOCATION: Curbside Wall, over the head of the S/B		1	\$ -
S	/-- Rack No 1: Zico #QR-MV, ILOS Compliant	1	\$ 330.00
S	/-- Aluminum Cover: Over Front of Oxygen Rack in Bench	1	\$ 115.00
XS	/-- Rack Slide Out Bracket QRSOFD2 For Zico #QR-MV -	1	\$ 3,225.00
/-- Cylinder Type: OXYGEN - Green Colored Hose		1	\$ -

S	/-- Rack Location: Squad Bench to Slide Out M4 Door	1	\$	-
/-- Set up For M cylinder		1	\$	-
/-- Zico oxygen tank restraint pull to tighten restraint straps (4)		1	\$	-
/-- Regulator, Oxygen: Has LX1 Transducer, Inspected and		1	\$ 220.00	
/-- Regulator Wrench: Cast aluminum, OXYGEN w/ cable lanyard		1	\$	-
/-- Vacuum System: SSCOR regulator/gauge panel in A/A		1	\$	-
/-- Collection Canister w/ Clip: Bemis, 1200 CC Capacity -J3043		1	\$	-
/-- VAC Plumbing: Direct from panel to canister - NO Outlet		1	\$	-
/-- Vacuum Pump: 49 State		1	\$	-
S	/-- Location: M-2 Compartment On Ceiling	1	\$	-
/-- Interior window and aluminum trim with standard satin finish- std		1	\$	-
S	Compartment Door Sill: Stainless Steel From O2 Rack to M4 Door	1	\$ 95.00	
/-- Handles, Ext: Tri-mark 030-1875, Free Float, Polished CNNC finish		1	\$	-
/-- Interior Release: All Entry Doors, with bezel Emergency Access		1	\$	-
/-- Rear Entry Assist Handle not required		1	\$	-
/-- Grab Rail, C/S wall, Various types C/S Entry, NONE		1	\$	-
Entry Door Panels, Windows and Hardware		1	\$	-
/-- Interior Grab Handle Color: Yellow Antimicrobial		1	\$	-
/-- Grab Handle, CS Entry: (1) 3-pt "L" Shaped 90, Yellow		1	\$ 195.00	
/-- Grab Handles, Rear Access: (2) 3-pt "L" Shaped 90, Yellow		1	\$ 390.00	
XS	/-- Grab Handle, (2), Black, Allegis Corp. #9/01228	1	\$ 225.00	
S	/-- Door Panels: Mica Upper / Upholstery / Stainless Steel Lower	1	\$ 500.00	
/-- Curbside Lower Door Panel: Stainless		1	\$	-
/-- UPPER Windows: RA Doors, Fixed Tinted Glass 16.3"W x 19.3"H		1	\$	-
/-- UPPER Window: CS Access, Fixed Glass, std tint -Recessed		1	\$	-
Solid wall with sliding Lexan window		1	\$	-
/-- Sliding Window Locking Pin: 1/4" with Lanyard		1	\$	-
S	/-- Dri-Dek Compt Floors and shelves, Black	1	\$ 3,640.00	
S	/-- Rubber Matt: M7 Compartment Shelves	1	\$ 170.00	
S	/-- Radio : Kenwood KDC168U CD/Am/Fm MA/USB: In patient area	1	\$ 400.00	
S	/-- Customer Supplied Radio Head Bracket Installed in Action Area	1	\$ 50.00	
S	/-- Blue Sea 5025 Fuse Block for Customer Installed Knox Box	1	\$ 200.00	
S	/-- (1) DC Sub panel Buss Bar with cover 6 circuits Blue Sea 5025	1	\$ 105.00	
S	Action Area Light: 12V, Kinequip #621836W, 18", LED Rail Light	1	\$ 65.00	
S	/-- Light Location: Bottom of Cabinet B2	1	\$	-
S	Telemetry Light: 12V, Kinequip #621836W, 18", LED Light	1	\$ 160.00	
S	/-- Light Location: Bottom of Cabinet B1	1	\$	-
Upholstery Color: Light Gray( Dove) Vac form		1	\$	-
/-- Center Trough Upholstery Color: Color Key to Rest of Truck		1	\$	-
Uph Joint Type: Vacuum Formed - Seamless		1	\$	-
Squad Bench seat cushion cut-outs: None		1	\$	-
Head Protection: Pad over CS Entry Door		1	\$	-
S	Head Protection: 1" Pad over Rear Access Doors, Full Width	1	\$	-
/-- Undercoating: Per Ford Pro Guidelines, STD		1	\$	-
Reflective Tape: White Reflective On Painted edges of Exterior Door		1	\$	-
Compartment Finish: Diamond Plate Standard		1	\$	-
S	Primary (Over All) Color: Red and Metallic Silver	1	\$ 16,950.00	
/-- Flip Step Reflective/Prismatic Tape: Red/White/R/W/R/W/R		1	\$	-
/-- Tape Stripe: NONE (KKK-F Deviation)		1	\$	-
/-- Non-Compliant to KKK-F 3.16.2 ;Exterior Safety stripe to be		1	\$	-
/-- Roof Color: Same Color as Over All		1	\$	-
/-- Roof Paint: Color and finish quality to be GLOSSY		1	\$	-
S	/-- Black Window Perf Installed on Entry Door Windows	1	\$ 525.00	
Drip Rails: Bright Alum, De-burred & rounded corners (SHIPPED		1	\$	-
S	/-- Flow Meters: (2) 0-25 LPM Oxygen, Dial Peak W/ Ohmeda	1	\$ 625.00	
/-- Flow Meter: 0-25 LPM Oxygen, Dial Peak W/ Ohmeda adapter		1	\$ 215.00	
S	/-- Drip Rails:Detail-Refer to Paint Section for Drip Rail Information	1	\$	-
S	/-- (1) Total Red With White Letter Labels 3.5" x 3.5"	1	\$ 35.00	
/-- Owner's Manual USB Flash Drive ship loose		1	\$ 35.00	
S	Install 5 Minute Delay Start Label On Danhard Face Plate	1	\$ 35.00	
U	Shoreline Labels: Shipped Loose and Not Installed	1	\$	-
S	/-- Install 3.5" x 3.5" Engraved Label Red With White Letters for	1	\$ 35.00	

<i>Decals: KKK / DOT Pkg, - NONE/DELETE</i>	1	\$	-
<i>/-- Decals: Install 32" Star of Life on Mod Roof</i>	1	\$ 40.00	
Decals: NO SMOKING & SEATBELT, installed, cab & pt. area.	1	\$	-
AEV Logos: Installed on unit per AEV standard locations	1	\$	-
<i>Fire Extinguisher, 5 pound, shipped loose, IATS</i>	1	\$ 142.00	
Fire Extinguisher, 5 pound, shipped loose, Std	1	\$	-
<i>/-- Exception to 3.15.2 Required Two fire extinguishers installed by</i>	1	\$	-
<i>/-- Exception to C.16.1.1 Required Two fire extinguishers installed</i>	1	\$	-
Reflector Pkg: Body - 2ea, Side Fr Amber, Side Rear Red, Rear Red	1	\$	-
Post And Wheel Cups: NONE	1	\$	-
Spare Tire: Refer To Chassis Section to See if it gets one.	1	\$	-
<i>S (2) SCBA Bracket: Zico Model KD-UH-6-SF SHIP LOOSE</i>	1	\$ 405.00	
<i>S /-- Collision Restraint Strap: ZICO No 1010-120-000 - Ship Loose</i>	1	\$ 395.00	
Stryker 6507 Power Pro 2 HIGH CONFIG cot (see attached) -	1	\$ 38,392.00	-
Stryker Stair-Pro Model 6252	1	\$ 4,682.00	-
Ferno Bracket	1	\$ 2,900.00	
ETR Trash Can Bracket	1	\$ 385.00	
FLIR K2 Camera	1	\$ 3,625.00	
Activtek Induct 500	1	\$ 1,544.00	
Graphics	1	\$ 5,590.00	
<b>Total</b>		\$ 498,482.00	